

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| S1 | 4348 | (polybutylene adj teraphthalate or pbt) and (polyurethane or silicone) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 07:34 |
| S2 | 1297 | (spray or immersion or dip or dipping) and S1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 15:29 |
| S3 | 489 | injection adj molding and S2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 07:51 |
| S4 | 83 | (encapsulate or encapsulated or encapsulation) and S3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 07:36 |
| S5 | 1 | ("4828901").URPN. | USPAT | OR | ON | 2005/05/12 07:41 |
| S6 | 1162 | (spray or spraying) and S1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 07:51 |
| S7 | 434 | injection adj molding and S6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 07:51 |
| S8 | 409 | (heat or heating) and S7 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 07:52 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|-----|------------------|
| S9 | 146 | (electronic or semiconductor or ic or integrated adj circuit or integrated adj chip) and S8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/05/12 07:52 |
| S10 | 2 | ("4828901").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/12 08:07 |
| S11 | 1 | ("4828901").URPN. | USPAT | OR | ON | 2005/10/21 15:28 |
| S12 | 4816 | (polybutylene adj teraphthalate or pbt) and (polyurethane or silicone) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 15:29 |
| S13 | 1444 | (spray or immersion or dip or dipping) and S12 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 15:29 |
| S14 | 381932 | coating and plastic | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 15:30 |
| S15 | 899 | S13 and S14 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 15:30 |
| S16 | 52 | auburger.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:20 |
| S17 | 166721 | siemens.as. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:20 |

EAST Search History

| | | | | | | |
|-----|---------|--|---|----|----|------------------|
| S18 | 212210 | encapsulate or encapsulated or encapsulation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:21 |
| S19 | 1759 | S17 and S18 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:21 |
| S20 | 1958625 | plastic | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:21 |
| S21 | 464 | S19 and S20 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:21 |
| S22 | 1112446 | capacitor or resistor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:22 |
| S23 | 98 | S21 and S22 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:23 |
| S24 | 2095433 | resin | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:23 |
| S25 | 28177 | S18 and S20 and S24 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:24 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S26 | 2929 | S22 and S25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:24 |
| S27 | 138232 | shrink adj tubing or shrink | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:24 |
| S28 | 270 | S26 and S27 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:36 |
| S29 | 223 | plastic adj protective adj cover | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:37 |
| S30 | 17 | S22 and S29 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:39 |
| S31 | 5 | S24 and S30 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:41 |
| S32 | 22180 | plastic adj cover or plastic adj covering | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:41 |
| S33 | 173851 | electronic adj component | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:41 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S34 | 556 | S32 and S33 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:42 |
| S35 | 556 | S20 and S34 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:46 |
| S36 | 1807 | resin adj encapsulated | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:46 |
| S37 | 1 | S32 and S36 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:47 |
| S38 | 19693 | potted | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:47 |
| S39 | 143 | S32 and S38 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 17:47 |
| S40 | 2 | ("4791529").URPN. | USPAT | OR | ON | 2005/10/21 17:56 |
| S41 | 0 | explosive adj proof adj capacitor | USPAT | OR | ON | 2005/10/21 17:57 |
| S42 | 0 | explosive adj proof adj eletronic adj parts | USPAT | OR | ON | 2005/10/21 17:57 |
| S43 | 68 | explosive adj proof | USPAT | OR | ON | 2005/10/21 17:57 |
| S44 | 10 | S22 and S43 | USPAT | OR | ON | 2005/10/21 17:58 |
| S45 | 1556 | foil near4 capacitor | USPAT | OR | ON | 2005/10/21 17:58 |
| S46 | 516 | S24 and S45 | USPAT | OR | ON | 2005/10/21 17:58 |
| S47 | 4 | S32 and S46 | USPAT | OR | ON | 2005/10/21 17:58 |

EAST Search History

| | | | | | | |
|-----|---------|--|---|----|----|------------------|
| S48 | 404495 | immerse or immersion or immersed | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 18:30 |
| S49 | 19693 | potted | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 18:30 |
| S50 | 1663 | S48 and S49 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 18:30 |
| S51 | 1958625 | plastic | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 18:30 |
| S52 | 793 | S50 and S51 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 18:31 |
| S53 | 1850997 | coat or coating | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 18:31 |
| S54 | 403 | S52 and S53 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 18:32 |
| S55 | 709415 | integrated adj circuit or electronic adj component | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 18:32 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S56 | 73 | S54 and S55 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 18:33 |
| S57 | 78812 | microelectronic | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 18:33 |
| S58 | 30240 | S55 and S57 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 18:32 |
| S59 | 3054 | microelectronic adj component | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 18:33 |
| S60 | 8 | S54 and S59 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/21 18:33 |
| S61 | 8 | ("4203816" "4229274" "4672079" "4703338" "4789620" "4970135" "5151454" "5453451").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/21 18:37 |
| S62 | 20 | ("4768286").URPN. | USPAT | OR | ON | 2005/10/21 18:50 |
| S63 | 1 | explosion adj proof adj capacitor or explosive adj proof adj capacitor | USPAT | OR | ON | 2005/10/21 18:50 |
| S64 | 12 | ("4059848").URPN. | USPAT | OR | ON | 2005/10/21 18:52 |
| S65 | 6 | ("3553542" "4059848" "4342070" "4486809" "4661876").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/21 18:55 |
| S66 | 425 | disk adj capacitor | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/21 18:55 |
| S67 | 6 | S49 and S51 and S66 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/10/21 18:55 |

EAST Search History

| | | | | | | |
|-----|--------|--|---|----|-----|------------------|
| S68 | 1503 | shrink adj sleeve | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/22 15:32 |
| S69 | 174099 | electronic adj component | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/22 15:30 |
| S70 | 18 | S68 and S69 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/22 15:30 |
| S71 | 8 | shrink adj sleeve near4 capacitor or shrink adj sleeve near4 resistor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/22 15:34 |
| S72 | 285 | mylar near4 capacitor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/22 15:34 |
| S73 | 16 | encapsulated and S72 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/22 15:35 |
| S74 | 10 | ("4166286").URPN. | USPAT | OR | ON | 2005/10/22 15:39 |
| S75 | 21 | comb adj conductor | USPAT | OR | ON | 2005/10/22 15:39 |
| S76 | 0 | (encapsulating and (weld or welding) and plurality and comb). clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/03/11 11:40 |
| S77 | 591 | (438/112).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/11 11:41 |